


# Pillow Block 2-Bolt Base


Type "E" Tapered Roller Bearing Housed Unit  
CASE HARDENED




Shaft Size	j												Weight LBS (Approx)
	B	L	A	Min	Max	Bolt Dia.	N	N1	H	H1	H2	D1	
1-3/16	2-3/4	6	1 7/8	4-3/4	4-13/16	1/2	9/16	19/32	1-7/8	7/8	3	2-1/4	4
1-1/4													4
1-3/8	3	7-3/8	2 1/8	5-5/8	5-7/8	1/2	5/8	3/4	1-7/8	1-1/8	3-3/4	2-3/4	7
1-7/16													7
35mm													7
1-1/2													10
1-5/8	3-3/8	7-7/8	2-3/8	6-1/8	6-3/8	1/2	5/8	3/4	2-1/8	1-1/4	4-1/4	3-3/16	10
1-11/16													10
40mm													10
1-3/4													12
1-7/8	3-1/2	8-7/8	2-1/2	6-7/8	7-1/8	5/8	3/4	7/8	2-1/4	1-5/16	4-1/2	3-7/16	12
1-15/16													12
2													12
45mm													12
50mm													12
2-3/16													3-3/4
55mm	15												
2-1/4	4	10-1/2	2-7/8	8-3/8	8-5/8	5/8	3/4	7/8	2-3/4	1-5/8	5-23/32	4-1/16	24
2-7/16													23
2-1/2													23
60mm													23
65mm													23
2-11/16													4-1/2
2-3/4	28												
2-15/16	29												
3	29												
70mm	28												
75mm	29												
3-3/16	5	14	3-1/2	10-13/16	11-3/16	7/8	1	1-3/16	3-3/4	2-1/4	7-1/2	5-17/32	46
3-1/4													46
3-7/16													45
3-1/2													44
80mm													46
85mm													45
90mm													44

# Pillow Block 4-Bolt Base

Type "E" Tapered Roller Bearing Housed Unit  
CASE HARDENED



Shaft Size	B	L	A	Min.	Max.	Bolt Dia.	N	Ni	Nz	H	H	Hz	d	Weight LBS (Approx)
2-1/4														23
2-7/16														22
2-1/2	4	10-1/2	3-1/2	8-5/16	8-11/16	5/8	11/16	7/8	1-7/8	2-3/4	1-5/8	5-23/32	4-1/16	22
60mm														22
65mm														22
2-11/16														30
2-3/4														29
2-15/16	4-1/2	12	4	9-3/16	9-13/16	5/8	11/16	1	2-1/8	3-1/8	1-7/8	6-1/4	4-23/32	28
3														28
70 mm														30
75 mm														29
33/16														47
3-1/4														46
3-7/16														45
3-1/2	5	13-1/2	4-1/2	10-3/4	11-1/4	3/4	15/16	1-3/16	2-3/8	3-3/4	2-1/4	7-1/2	5-17/32	44
80 mm														47
85 mm														46
90mm														45
3-15/16														71
4	6-1/4	15-1/4	4-1/2	12-1/4	12-3/4	3/4	7/8	1-1/8	2-1/4	4-1/4	2-7/16	8-1/2	6-1/16	71
100 mm														71
4-7/16														91
4-1/2	6-3/4	16-5/8	4-5/8	13-5/16	13-11/16	3/4	15/16	1-1/8	2-1/2	4-3/4	2-3/4	9-3/8	6-47/64	90
110mm														91
115 mm														90
4-15/16														134
5	7-1/4	18-1/2	5-1/8	15-1/4	15-3/4	7/8	1	1-1/4	2-7/8	5-1/2	3	10-7/8	7-1/2	132
125 mm														132



# Flange Block 4-Bolt Base

Type "E" Tapered Roller Bearing Housed Unit  
CASE HARDENED

Shaft Size	B	L	A	J	A2	Bolt Dia.	A1	D	d1	Weight LBS (Approx)
1-3/16	2-3/4	3-3/4	2-11/32	2-7/8	1/16	3/8	1	2-15/16	2-1/4	4
1-1/4										4
1-3/8	3	4-5/8	2-19/32	3-1/2	1/16	1/2	1-1/16	3-1/2	2-3/4	7
1-7/16										7
35 mm										7
1-1/2	3-3/8	5-3/8	2-31/32	4-1/8	1/8	1/2	1-3/16	4-3/16	3-3/16	11
1-5/8										11
1-11/16										11
40 mm										11
1-3/4	3-1/2	5-5/8	3-3/32	4-3/8	1/8	1/2	1-3/16	4-7/16	3-7/16	12
1-7/8										12
1-15/16										12
2										12
45 mm										12
50 mm	12									
2-3/16	3-3/4	6-1/4	3-9/32	4-7/8	1/8	5/8	1-3/8	4-7/8	3-3/4	15
55 mm										15
2-1/4	4	6-7/8	3-9/16	5-3/8	3/16	5/8	1-1/2	5-5/16	4-1/16	21
2-7/16										20
2-1/2										19
60 mm										20
65 mm										19
2-11/16	4-1/2	7-3/4	3-15/16	6	3/16	3/4	1-5/8	6	4-23/32	28
2-3/4										28
2-15/16										27
3										26
70 mm										29
75 mm										26
3-3/16	5	9-1/4	4-1/2	7	1/4	3/4	1-7/8	7-1/4	5-1/2	52
3-1/4										51
3-7/16										50
3-1/2										50
80 mm										52
85 mm										50
90 mm										50
3-15/16	6-1/4	10-1/4	5-5/8	7-3/4	1/4	7/8	2-1/8	8-1/4	6	75
4										75
100 mm	6-3/4	10-7/8	5-15/16	8-3/4	11/32	7/8	2-7/16	8-3/4	6-29/64	75
4-7/16										90
4-1/2										90
110 mm										90
115 mm	90									